(Pages : 4)

G - 4033

Reg.	No.	:	*		*		*		*	*	*			*	*	*	*		*	*	

Fourth Semester B.Sc. Degree Examination, July 2019

First Degree Programme under CBCSS

Complementary Course

PY 1431.1/PY 1431.3 MODERN PHYSICS AND ELECTRONICS

(For Mathematics and Statistics)

(2013 Admission onwards)

Time: 3 Hours

Max. Marks: 80

PART - A

Answer all questions. Each question carries 1 marks.

- 1. State Pauli's exclusion principle.
- 2. Write down the expression for the activity law of radioactive material.
- 3. What is packing fraction?
- 4. Give the position momentum uncertainty principle.
- 5. Name any two nuclear detectors.
- 6. What is peak inverse voltage?

- 7. Explain d.c. load line.
- 8. Most of the transistors are npn type, why?
- 9. Distinguish between a nibble and a byte.
- 10. Give the truth table of a NAND gate.

 $(10 \times 1 = 10 \text{ Marks})$

PART - B

Answer any eight questions. Each question carries 2 marks

- 11. Briefly explain L-S coupling.
- 12. Explain the features of nuclear forces.
- 13. Briefly explain radioactive dating.
- 14. Give the probabilistic interpretation of wave function.
- 15. Describe Plank's hypothesis.
- 16. Define ripple factor. Compare the values of ripple factors of half-wave and full-wave rectifiers.
- 17. Distinguish between an avalanche break down and zener break down.
- 18. Explain biasing of a transistor. What is the need for biasing a transistor?
- Draw the circuit diagram of a full wave bridge rectifier. Compare its input and out waveforms.
- 20. What are the advantages of voltage divider biasing?
- Discuss the rules of binary addition, subtraction and multiplication.
- 22. How can you convert a decimal number into an octal number? Give an example.

 $(8 \times 2 = 16 \text{ Marks})$

PART - C

Answer any six questions. Each question carries 4 marks

- 23. If the disintegration constant of a radioactive substance is 9.345×10^{-8} , calculate its half-life period.
- 24. Calculate the wavelength associated with a particle of mass 0.01 gm moving with a velocity of 2000 m/s, $h = 6.624 \times 10^{-34}$ js.
- 25. Calculate the binding energy of an $\alpha-$ particle in Joules mass of $\alpha-$ particle=4.03188u, mass of proton = 1.00728u and mass of neutron = 1.00866u.
- 26. A Si diode dissipates 4W for a forward dc current of 3A. Calculate the forward voltage drop across the diode and its bulk resistance given knee voltage of Si diode = 0.7V.
- 27. If a transistor is biased with V_{cc} =12V, R_c =2K Ω I_B = 30 μ A, then draw DC load line.
- 28. If the collector current changes from 2 mA to 3 mA in a transistor when collector emitter voltage is increased from 2V to by, what is the output resistance?
- An ac supply of 230 V is applied to a half wave rectifier through a transformer of turn ratio10:1. Determine the dc output voltage.
- 30. Convert the decimal number 12.75 into its binary equivalent and (11111001001)₂ into its octal equivalent.
- 31. Draw the standard symbol and equivalent circuit of the NAND gate. Explain its logical operations.

 $(6 \times 4 = 24 \text{ Marks})$

PART - D

Answer any two questions. Each question carries 15 marks

- 32. Explain vector atom model. Discuss the quantum numbers associated with vector atom model.
- 33. A particle is in a box. Obtain its energy value and wave function.
- 34. Describe an experiment to draw the input and output characteristics of a CE-NPN transistor configuration. Indicate the active, saturation and cut-off regions.
- 35. What are logic gates? Discuss the logical operations of the basic gates using equivalent electronic circuits.

 $(2 \times 15 = 30 \text{ Marks})$