H - 2101

(Pages : 4)

Reg. No.:

Name :

First Semester B.Sc. Degree Examination, November 2019 First Degree Programme under CBCSS

Complementary Course I for Chemistry and Polymer Chemistry

MM 1131.2 : MATHEMATICS I – CALCULUS WITH APPLICATIONS IN CHEMISTRY – I

(2018 Admissions Onwards)

Time: 3 Hours

Max. Marks: 80

PART -

Answer all questions. Each question carries 1 mark.

- 1. Find the derivative of $\frac{1}{x^3 + 2x 3}$ with respect to r.
- 2. Use implicit differentiation to find $\frac{dy}{dx}$ if $4x^2 2y^2 = 9$.
- 3. Find the argument of the complex number z=2-3i.
- 4. Give the polar form of the complex number 2i.
- 5. Find the conjugate of the complex number $z = (x+5i)^{(3y+2ix)}$.
- 6. Find $\frac{dy}{dx}$ where $y = \cosh(x^3)$.

- 7. Evaluate $\int xe^3 dx$.
- 8. Two particles have velocities $\vec{v}_1 = \hat{i} + 3\hat{j} + 6\hat{k}$ and $\vec{v}_2 = \hat{i} 2\hat{k}$ respectively. Find the velocity \vec{u} of the second particle relative to the first.
- 9. Find a unit vector normal to both the vectors $\vec{a} = \hat{i} + 2\hat{j} 3\hat{k}$ and $\vec{b} = -4\hat{i} + \hat{j} + 2\hat{k}$.
- 10. Give the equation of the line through the fixed point A with position vector \vec{a} and having a direction \vec{b} .

Answer any eight questions. Each question carries 2 marks.

- 11. Find the third derivative of the function $f(x) = x^2 \cos x$, using Leibnitz' theorem.
- 12. Verify Rolle's theorem for the function $f(x) = x^2 + 6x$ on [-6, 0].
- 13. Find f'(x) if $f(x) = \sqrt{4 + \sqrt{3x}}$.
- 14. Find the interval on which $f(x)=5+12x=x^3$ is increasing.
- 15. Find the general value of Ln(-i).
- 16. Express $z = \frac{x-2i}{-1+4i}$ in the form x+iy.
- 17. Prove that $\cosh x \cosh y = 2\sin\left(\frac{x+y}{2}\right) \sinh\left(\frac{x-y}{2}\right)$.
- 18. Evaluate $\int_{0}^{2} (2-x)^{-1/4} dx$.
- 19. Find the mean value of the function $f(x) = x^2$ over [-1,2].
- 20. Find the angle between the vectors $\vec{a} = \hat{i} 2\hat{j} + 2\hat{k}$ and $\vec{b} = -3\hat{i} + 6\hat{j} 6\hat{k}$.

- 21. Find the area of a triangle which is determined by the points $P_1(2,0,-3)$, $P_2(1,4,5)$ and $P_3(7,2,9)$.
- 22. Find an equation of the line in space that passes through the points $P_1(2,4,-1)$ and Q(5,0,7).

Answer any six questions. Each question carries 4 marks.

- 23. Find the positions and natures of the stationary points of the function $f(x)=x^3-3x^2+3x$.
- 24. Show that the radius of curvature at the point (x, y) on the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ has magnitude $\frac{\left(a^4y^2 + b^4x^2\right)^{3/2}}{a^4b^4}$ and the opposite sign to y.
- 25. Verify Mean Value theorem for $f(x)=x^3+x-4$ in [-1,2]. Find all values of c in that interval which satisfy the conclusion of the theorem.
- 26. Express $\cos 4\theta$ in powers of $\cos \theta$ and $\sin \theta$.
- 27. Prove that $\cos^7 \theta = \frac{1}{64} (\cos 7\theta + 7 \cos 5\theta + 21 \cos 3\theta + 35 \cos \theta)$.
- 28. Find all values of $(-1)^{1/6}$.
- 29. Find the volume of the parallelepiped with sides $\vec{a} = \hat{i} + 2\hat{j} + 3\hat{k}$, $\vec{b} = 4\hat{i} + 5\hat{j} + 6\hat{k}$ and $\vec{c} = 7\hat{i} + 8\hat{j} + 10\hat{k}$.
- 30. Find the minimum distance from the point P with sides coordinates (1,2,1) to the line $\vec{r} = \vec{a} + \lambda \vec{b}$, where $\vec{a} = \hat{i} + \hat{j} + \hat{k}$ and $\vec{b} = 2\hat{i} \hat{j} + 3\hat{k}$.
- 31. A line is given by $\vec{r} = \vec{a} + \lambda \vec{b}$, where $\vec{a} = \hat{i} + 2\hat{j} + 3\hat{k}$ and $\vec{b} = 4\hat{i} + 5\hat{j} + 6\hat{k}$. Find the coordinates of the point P at which the line intersects the plane x + 2y + 3z = 6.

PART - IV

Answer any two questions. Each question carries 15 marks.

- 32. (a) At what point does $y = e^x$ have maximum curvature? (7)
 - (b) Solve the equation $z^6 + z^4 + z^2 + 1 = 0$. (8)
- 33. (a) If $I_n = \int_0^{\pi/2} \sin^n x dx$ and if n is any positive integer, show that $I_n = \frac{n-1}{n}I_{n-2}$.

 Hence evaluate $\int_0^{\pi/2} \sin^6 x dx$. (7)
 - (b) Find the area and perimeter of the Cardiod $\rho = 1 \cos \phi$. (8)
- 34. (a) Find the area of the surface that is generated by revolving the portion of the curve $y = x^2$ between x = 1 and x = 2 about the y axis. (7)
 - (b) Find an equation of the plane that contains the line x=-2+3t, y=4+2t, z=3-t and is perpendicular to the plane x-2y+z=5. (8)
- 35. (a) Find an equation of the plane whose points are equidistant from (2,-1,1) and (3,1,5).
 - (b) Find the radius ρ of the circle that is the intersection of the plane $\hat{n}.\vec{r} = p$ and the sphere of radius a centered on the point with position vector \vec{c} . (10)